


ahcm				
gomo			uhk Ahgpēd Ahgpēd	ahypodarhue ha cmponemuhue omangapuu
phi3a			uhk Agernuha Mriaghehōba	uhk Agernuha Mriaghehōba
madowd			uhk Ahseria Amgojuueb	ge3oanacmohcm u sgapbe
OBKXTR			uhk Pogmuura Kpmehckrc	gonokophe ge3oanacmohcm
khutun			uhk Ahseria Amgojuueb	ouchmaraquuu
khutun			opx Mopua Lekogō	opx Mopua Lekogō
				kympa
				vBATN:
			uhk Heniu Dlumumpogā	ahue u Dhemurjauua
				AHTN:

CZONHÁ OBLNHA „HP3 KOHLECKOHEP
COPNICKA BOA“ A4

Слово «контакт» в переводе с греческого означает «действие, взаимодействие, общение». Контакт – это обмен информацией, обмен идеями, обмен мнениями, обмен чувствами. Контакт – это обмен информацией, обмен идеями, обмен мнениями, обмен чувствами.

(+359) 02/489 12 26



ELEKTRON
magnetohydrodynamics HD plasma on nonstationary compton scattering theory
and magnetohydrodynamics HD plasma on nonstationary compton scattering theory

A blue ink stamp containing the text "Michael J. Lucey, Esq., A.D." is overlaid with a handwritten signature in black ink that reads "Michael J. Lucey".

CO
Hanspässerweg 1A
A-1100 Wien
Telefon 214 12 00
Telex 720 1009/16
FAX 214 12 00
E-mail: hmk@w1.tuw.ac.at

NARA
SEARCHED INDEXED SERIALIZED FILED
OCTOBERNE NE-PK-0015/05.03.2013
JULY 11, 2013

This architectural cross-section diagram illustrates the vertical structure of a building, showing multiple levels from -7.15m at the top to +5.20m at the bottom. The diagram includes labels for floors, rooms, and technical specifications.

Floor Levels:

- 7.15
- 4.39
- 1.20
- 0.00
- +4.17
- +5.76
- +5.20

Rooms and Areas:

- Ground floor rooms: 1.00, 1.00, 2.70, 3.90, 5.60.
- Basement rooms: -1.20, -4.39, -7.15.
- Technical areas: A staircase, a room with a window labeled "G=3,7kg", and a room with a window labeled "N=0,05kW/230V".

Technical Annotations:

- Rooms:**
 - Room 1.00: "Cvklmegjich demuljicel gmepeh", "G=12,8kg", "N=0,215kW/230V/1,5A", "Hd 6030 Eloline E 400", "01 uini nogoger".
 - Room 2.70: "Cvklmegjich demuljicel gmepeh", "G=12,8kg", "N=0,215kW/230V/1,5A", "Hd 6030 Eloline E 400", "01 uini nogoger".
 - Room 3.90: "Cvklmegjich demuljicel gmepeh", "G=12,8kg", "N=0,215kW/230V/1,5A", "Hd 6030 Eloline E 400", "01 uini nogoger".
 - Room 5.60: "Cvklmegjich demuljicel gmepeh", "G=12,8kg", "N=0,215kW/230V/1,5A", "Hd 6030 Eloline E 400", "01 uini nogoger".
- Windows:**
 - Window in Room 1.00: "G=3,7kg", "N=0,05kW/230V".
 - Window in Room 2.70: "G=3,7kg", "N=0,05kW/230V".
 - Window in Room 3.90: "G=3,7kg", "N=0,05kW/230V".
 - Window in Room 5.60: "G=3,7kg", "N=0,05kW/230V".
 - Window in Room 1.00: "G=3,7kg", "N=0,05kW/230V".
 - Window in Room 1.00: "G=3,7kg", "N=0,05kW/230V".
- Structural and Material Notes:**
 - "Kg p +0,35" and "Pewemka 600" near the top left.
 - "Kg p +2,80" and "Pewemka 310/310" near the bottom left.
 - "79%" slope indicator for the roof.
 - "nokpne" and "Tpannegejhin nokojheneh neneh - 60/100mm" near the bottom right.
 - "Cvklmegjich demuljicel gmepeh" and "Cvklmegjich demuljicel gmepeh" near the bottom center.
 - "- Zpráva no kochc. nrober" and "- Zpráva no kochc. nrober" near the bottom center.
 - "- Tpannegejhin nokojheneh neneh - 60/100mm" and "- Tpannegejhin nokojheneh neneh - 60/100mm" near the bottom center.